ANNUAL INDEX: VOLUME 58, 1997

Authors

*** Indicates book reviewer**
**** Indicates correspondent**
† Indicates guest editor

Abbott, R. 280
Adlaf, E.M. 622
Agrawal, S. 405
Al-Adwani, A. 557**
Alterman, A.I. 239
Ames, G.M. 37
Amit, Z. 382

Baglioni, A. 502
Baker, E. 652
Bates, M.E. 531, 617, 638
Bavly, L. 341
Berger, D.E. 518
Birchler, G.R. 91
Blow, F.C. 625
Bondy, S.J. 622
Boone, E.M. 590
Booth, B.M. 625
Botvin, G.J. 652
Boyle, A.E.L. 382
Brauer, M. 119
Brown, J.M. 358
Bucholz, K.K. 581
Bullock, S.L. 312
Bunn, J.Y. 625

Cacciola, J.S. 239
Caetano, R. 155, 565
Callan, V.J. 502
Calzavara, L.M. 312
Cameron, D. 554*
Cardon, L.R. 182
Carey, K.B. 100
Carmelli, D. 182
Catalano, R.F. 280
Catanzaro, S.J. 644
Chant, D.C. 502
Charlebois, P. 546
Chassin, L. 272
Cherpitel, C.J. 323
Choquette, K.A. 91
Chung, T. 341
Cockerill, R. 312
Cohen, C. 231
Cook, M.N. 590
Corey, L.A. 167
Corrao, G. 486
Correia, C.J. 100
Criqui, M.H. 453†
Cutter, H.S.G. 91

DeBord, K.A. 200
DeCourville, N.H. 146
De Groote, D. 30
Den Dulk, A. 30
DeYoung, D. 671**
Dobkin, P.L. 546
Donovan, M. 253
Drop, M.J. 303

Eguchi, M. 392
Engs, R.C. 223**, 435
Epstein, E.E. 162, 220*
Erickson, C.K. 334**
Erickson, D.J. 200

Fals-Stewart, W. 508
Ferguson, S.A. 513
Ferrari, P. 486
Finn, P.R. 606
Fiset, L. 291
Fortney, J.C. 625
Foss, R.D. 513

Gershuny, B.S. 414
Gordon, J.R. 220*
Graham, J.W. 280
Grant, B.F. 365, 464
Greene, M.A. 513
Grube, J.W. 37
Gruenewald, P.J. 372

Ham, H.P. 67
Hannan, P. 539
Harris, T.R. 264
Hasegawa, A. 392
Hawkins, J.D. 280
Heather, N. 253
Herd, D. 75, 539
Hernandez, A.C.R. 191
Hill, K.G. 280
Hill, S.Y. 428
Hirsch, J.A. 480
Hirsch, L.S. 162
Hoffmann, G. 30
Hou, X. 590
Howard, M.O. 48
Humphreys, K. 231
Hussong, A.M. 272

Isenhart, C.E. 351
Ishigami, M. 392
Ivis, F.J. 622

Jones, B.C. 590
Jones-Webb, R. 539
Joyce, P.R. 257

Kalmijn, J. 397
Kaskutas, L.A. 155
Kendler, K.S. 167
Kenkel, D.S. 211
Kivlahan, D. 48
Klassen, A.D. 264
Kornreich, Ch. 30
Kuenzi Callan, M. 644
Kunz, J.L. 474
Kurtz, E. 554*, 668*

Labouvie, E. 341, 638
Langenbucher, J. 341
Lapham, S.C. 524
Laurent, J. 644
Le Bon, O. 30
Lemmens, P.H. 303
Leroux, B. 291
Ling, M. 119
Locke, J. 428
Loveland Cook, C.A. 625
Lu, W. 119

McCrady, B.S 162, 557**
McKay, J.R. 239
McLellan, A.T. 239
Maguin, E. 280
Mäkelä, P. 455
Mampunza, S. 30
Marelich, W.D. 518
Marowitz, L. 671**
Marshall, V.W. 312
Martin, C.S. 334**, 531
Martin, S.E. 106*
Miller, W.R. 358, 557**
Mizuiri, S. 392
Monto, M. 191
Moore, R.S. 37
Moos, R.H. 231
Morgenstern, J. 341
Mulder, R.T. 257
Mulvihill, L.E. 600
Mundt, J.C. 130
Murphy, C.M. 83
Murphy, J.R. 30
Myers, T. 312

Nathan, P.E. 341
Neale, M.C. 167
Neve, R.J.M. 303
Newcomb, M.D. 191

O'Callaghan, F.V. 502
O'Farrell, T.J. 83, 91
Ohnishi, T. 392

Pandina, R.J. 638
Parsons, O.A. 67
Pelc, I. 30
Perrine, M.W. 130

Peterson, L. 414
Poikolainen, K. 455
Ponicki, W.R. 372
Prall, C. 291
Prescott, C.A. 167
Project MATCH Research Group 7

Rabow, J. 191
Ramsay, D.S. 291
Ramsey, S.E. 606
Raskin, G. 414
Raytek, H. 668*
Roizen, R. 106*
Rotgers, F. 106*
Rothen, M. 291
Rubin, E.M. 332*

Sadava, S.W. 146
Saiff, E. 445*
Schafer, J. 508
Scheier, L.M. 652
Schuckit, M.A. 141, 397, 581
Searles, J.S. 130
Sellman, J.D. 257
Sher, K.J 200, 414
Shore, E.R. 297
Short, B. 539
Simpson, G.L. 524
Skilling, T.A. 600
Skipper, B.J. 524
Smith, B.R. 382
Smith, T.L. 141, 397, 581
Snowden, L. 539
Sobell, L.C. 405
Sobell, M.B. 405
Staner, L. 30
Steinhauer, S.R. 428
Stillman, F.A. 332*
Sullivan, P.F. 257
Swan, G.E. 182

Tipp, J.E. 397, 581
Tonigan, J.S. 358
Torchio, P. 486
Tremblay, R.E. 546
Treno, A.J. 372

Vacher, C. 30
Valkonen, T. 455
van Teijlingen, E 435
Verbanck, P. 30
Vogel-Sprott, M. 495, 600
Vogeltanz, N.D. 264

Walker, R.D. 48
Weisner, C. 155
Wells, J.K. 513
Wiesbeck, G.A. 397
Williams, A.F. 513
Wilsnack, S.C. 264
Windle, M. 573
Wirtz, P.W. 239
Wood, P.K. 200

York, J.L. 480
Yu, J. 671**

Zack, M. 495
Zambon, A. 486
Zhu, C. 291

ANNUAL INDEX: VOLUME 58, 1997

Subjects

*** Indicates book review**
**** Indicates correspondence**
† Indicates editor's corner
‡ Indicates guest editorial

Aborigines, *see* Native Americans
Abstinence, 582-87
  alternating with periods of heavy drinking, 581-89
  contributing to risk for coronary heart disease (CHD), 458-62
  protected, 25
  reasons for, 453-54‡
  violation effect, 356
Acetaldehyde, 533
ACOA Anonymous, 221*
Addiction Research Foundation, 406
Addiction Severity Index (ASI), 9-11, 23, 240-42, 342-44, 347
  retrospective form, 241
Adenosine (*see also* ADP levels; ATP levels)
  mediating increased blood flow, 119
  neuromodulary interaction with ethanol, 445*
Adolescent Perceived Events Scale (APES), 645-46
Adolescents' alcohol-related problems (*see also* Alcohol involvement)
  change, a developmental hallmark, 663-64
  children of alcoholics (COAs)
    protective factors, testing, 272-79
  social gains from abusing alcohol, 664
  stressor vulnerability model, testing, 644-51
  use peaking during adolescence, 638
ADP levels, 121, 124-25
Adrenocorticotropin hormone (ACTH) levels, 142
African Americans, *see* Blacks
Age differences (*see also* Adolescents' alcohol-related problems; College students' alcohol-related problems)
  and benefit from treatment, 303-11
  older drinkers, career of, 303-11
  and sexual function, 44, 46
  in treatment barriers, 368-70
  and workplace problems, 44, 46
  youths more likely to become dependent on alcohol, 472
  youths more likely to use alcohol, 472
Age of onset, *see* Alcohol involvement
AIDS
  alcohol abusers at greater risk for, 312-15, 319
Alanine aminotransferase (ALT) levels, 120-21, 126
Alcohol beverage industry, 454‡
Alcohol consumption
  assessing
    timeline follow-back method (TLFB), 358, 364
  deterring, 518-23 (*see also* Control, informal; Interventions)
Alcohol dehydrogenase (ADH), 532-33
Alcohol dependence (AD), 167-81, 471-73
  involving prolonged periods of abstinence, 581-89
  measuring, 177
  physiological
    a specifier of risk for medical problems, 341-50
  predicting, 176
Alcohol Dependence Scale (ADS), 85-86, 233, 346, 348, 481
Alcohol Dependence Treatment Programs (ADTPs), 628
Alcohol effects (*see also* Central nervous system [CNS] function; Health effects of alcohol use; Marital interactions; Risk-taking behaviors; School-related problems; Work-related problems)
  alcoholic amnesia (blackout), 319, 325, 341
  anxiety, 30
  assessing, 106-8*, 397-404
  aversive-defensive behaviors, 85-86
  boredom, 51, 57
  daytime somnolence, 30
  demographic characteristics of, 106-8*
  depression, 62, 188, 333*
    linked with childhood sexual abuse (CSA), 268-69
    long-term effects of, 232
  difficulty communicating, 83-90
  disavowal of responsibility, 83
  disinhibition
    and cognitive impairment, 600-605
    selective, 107*
    socially constructed, 314
  hangovers, 41-42
    effect on performance, 38, 44-45
  inhibition
    of helping behavior, 192, 195
    of sexual activity, 320
  irritability, 30
  perfectionistic tendencies, 333*
  physical aggression, 83-90
  physiological, 131, 135-37 (*see also* Blood alcohol concentrations [BACs]; Ethanol exposure)
    on blood pressure (BP), 480-85
    on thermoregulation, 445*
  psychomotor, 135-37
  sleep disorders, 25-36
    apneic episodes, 30, 32
    hypopneic episodes, 30, 32
    insomnia, 30
  social consequences, 158-59
  stress, 45, 188
  subjective, 135-37
  tension reduction, 100, 600
Alcohol Expectancy Questionnaire (AEQ)
  Adolescent Form (AEQ-A), 645-46, 649
  validity of current scoring systems, 508-12
Alcoholics Anonymous (AA), 8, 24
  history of, as a social movement, 668-69*
  impact on treatment models, 256
  involvement with, 558**
    assessing, 241
    contributing to declining cirrhosis death rates, 492
    linked with periodic abstinence, 584-88
    a predictor of sobriety, 232, 237, 352-56
  as a mutual-help movement, 554-55*
Alcohol involvement, 8-9, 22, 24, 208, 471-73 (*see also* Motives for alcohol use)

age of onset, 53-54, 280-90
and heavy drinking, 305-6, 308-11
predictive utility of, 280-90, 638-43
and subsequent alcoholism, 83
initiation to alcohol use
protective factors against, 272-79
Alcohol Involvement Scale, 146
Alcohol metabolism, 531-32
Alcohol oxidase, 532
Alcohol Problems scale, 282
Alcohol Research Group, 75
Alcohol responsivity, *see* Individual differences
1988 Alcohol Supplement of the National Health Interview Survey, 464
Alcohol Treatment Questionnaire (ATQ), 254-56
Alcohol Use Disorder and Associated Disabilities Interview Schedule (AUDADIS), 366, 465, 473
Alcohol Use Disorders Identification Test (AUDIT), 292-93
Alcohol Use Inventory (AUI), 9, 60, 524-30
Alienation Test, 169
Alkaline phosphatase (ALP) levels, 121, 126
Allopurinol (xanthine oxidase inhibitor) function, 396
α tocopherol, β carotene cancer prevention (ATBC) study, 457-58, 462
American College Test (ACT), 204-5
American Indians, *see* Native Americans
American Society of Addiction Medicine (ASAM)
Patient Placement Criteria, 239-52, 634
Americans with Disabilities Act, 212
Amino acid system effects, 590
Anti-alcohol movement
cresting, 223**
Antisocial personality disorder (ASPD), 9, 49-52, 54-55, 57-62, 64, 582, 585, 587
and chemical dependency, 220-21*
poor prognosis with, 257-63
of Type 2 alcoholics, 52, 64-65
Apneic/hypopneic index (AHI), 33-34
Areas of Change Questionnaire (AC), 92
Asian Americans, alcohol use among
positive sensations from, 131
Aspartic aminotransferase (AST) levels, 120-21
Assortative mating, *see* Marital interactions
Ataxia, static (*see also* Body sway)
in children at high risk for alcoholism, 428-34
ATP levels, 120-28
Attribute by treatment interaction (ATI) effect, 14, 18
Attributional Style Questionnaire, 169
Austin Maze test, 620
Australia
attitude-behavior theories explaining alcohol use by young adults, 502-7
goal of controlled drinking, 253-56
Autonomic Perceptions Questionnaire (APQ), 292
Availability of alcohol, 107*

Beck Depression Inventory, 106*
Belsky Coding System, 547
Benzodiazepines, *see* Diazepam detoxification
Binges, *see* Drinking, patterns of
Biologically effective dose, 480-81
Blacks, alcohol use among, 565-72
gender differences in, 75-82
less likely to become dependent on alcohol than whites, 473
less likely to use alcohol than whites, 472
more likely to persist in alcohol dependency than whites, 472
social factors affecting black men, 81
neighborhood poverty, 539-45
women marry fewer problem-drinking spouses than Hispanic, Native American or white women, 577-78
women more likely to have dependence-related problems than white women, 568
Blood alcohol concentrations (BACs), 37, 120, 126
descending limb of, 132-36, 138
designating impaired driving, 223**, 671-73**
drinking drivers missed at sobriety checkpoints, 513-17
in emergency room patients, 323-31
on-site testing of, 537
estimating from saliva, 531-38
ethnic differences in, 525-26
and overall likelihood of injury, 372-81
Body mass index (BMI), 31, 34
Body sway, 142-45
measuring, 132, 134
Booklet Category Test (BCT), 69-71
short form, 618
Borderline personality disorder (BPD), 257-63
Breath analyzer readings
and injury in emergency room patients, 323-31
reliability of, 533
Brief Symptom Inventory (BSI), 52
Buffering hypotheses, 272-79
Bystander arousal, 192

Caffeine dependence, *see* Drinking, environmental factors
Calcium metabolism altered, 395-96
California Personality Inventory, 608
California Psychological Inventory, 9
California Verbal Learning Test, 618
Canada (*see also* Native Americans)
heavier drinkers taking less preventive approach to health, 474-79
mothers less nurturing towards disruptive sons of male alcoholics (SOMAs), 546-53
Canadian Laboratory Centre for Disease Control, 314
Carbohydrate-deficient transferrin (CDT) measures, 12
C-DIS, *see* Diagnostic Interview Schedule (DIS)
Center for Science in the Public Interest, 223**
Central nervous system (CNS) function, 445*, 590
cortical damage, 67
neural adaptation, 334**
neuronal network, organization of, 67
neuropsychological measures of, 11
oculomotor function, 134-35
signal transduction, serotonin-stimulated, 60
Cerebrospinal fluid norepinephrine levels, *see* Norepinephrine (NE) levels
Change, *see* Motivation
Childhood Life Events Interview (CLE), 416-17
Childhood stressors
and intergenerational transmission of alcohol abuse, 414-27
sexual abuse (CSA)
linked to women's substance abuse, 264-71
Children at risk for developing alcohol-related problems, *see* Risk factors
Cholinergic system effects, 590
Cleveland Criteria, 240, 251
Clinicians
direct experience of, 220-21*
guide for, 106*, 332-33*

philosophy of, 5†
relative effectiveness of, 558**
Cocaine Anonymous (CA), 585, 587
Codependents Anonymous, 221*
Cognitive and Personality Factors Family Study (CPFFS), 429
Cognitive function
deficits in, 67
reduced visual event-related potential (ERP) levels, 428-34, 606-16
impairment in, 8-9, 24, 131-32, 600-605 (*see also* Central nervous system [CNS] function)
reorganization of, 67, 74
Collaborative Study on the Genetics of Alcoholism (COGA), 397-404, 582, 588, 607
College students' alcohol-related problems
identifying problem drinkers, 100-105
patterns of alcohol use among
differences with different academic majors, 436
predicted by various attitude-behavior theories, 502-7
predicting academic problems, 200-210
Commission on Substance Abuse at Colleges and Universities, 200
Community resources
as predictors of long-term outcome, 232, 237-38
Community Trials Project, 373
Compensatory mechanisms, 120
Composite International Diagnostic Interview
Expanded Substance Abuse Model (CIDI-SAM), 342-45, 348-49
Substance Abuse Model (CIDI-SAM), 132-33
Comprehensive Drinker Profile, 11
Conceptual level factor, 8-9, 20, 24
Confidentiality, guaranteeing, 274
Conflict Tactics Scale (CTS), 85
Continuous Performance Test (CPT), 428-32
Control
compliance enhancement measures, 23
formal
tougher new laws, 518-19
informal, 521-22
perceived, 276
Controlled drinking (CD), 224**, 253-56
Control orientation in alcoholics, 162-66
inpatient *versus* outpatient, 165
treatment effects on, 163
COPE inventory, 645-46
Coping
behavioral, 276
cognitive, 277
Corticotropin-releasing factor, 445*
Cortisol levels, 142
Costs of drinking, *see* Drinking
Counseling alcoholics, *see* Clinicians; Therapy models; Treatment programs
Counseling for Alcoholics' Marriages (CALM) Project, 84, 92
Cross-sectional studies
of all alcoholics receiving treatment in VAMCs at one time, 635
of students' academic problems, 200-201, 207
Cross-site reliability studies, 359
Cross-tolerance
of alcohol with study drugs, 295
Cultural differences (*see also* Ethnic differences; individual nationalities)
European attitude towards alcohol, 223-24**
feminist perspective, 221-22*
Dental Fear Survey, 292
Department of Criminal Justice, 574
Department of Labor, 574
Department of Veterans Affairs (VA) facilities, 8, 84, 92, 240, 292
Cost Distribution Report, 629
effect of alcoholism treatment on utilization of medical services, 625-37
expanding long-term treatment programs, 237, 635
multisite projects, 352
Dependence, *see* Alcohol dependence (AD)
Diagnostic and Statistical Manual of Mental Disorders (DSM-III), 157, 202-4, 220*, 274-75, 349, 416, 429, 464, 472, 548, 607
Diagnostic and Statistical Manual of Mental Disorders (DSM-III-R), 9-11, 31, 33, 68, 85, 132- 33, 157, 169-70, 220*, 240, 258-62, 292, 341, 352-56, 416, 464, 472, 582-87, 607, 627-28
Diagnostic and Statistical Manual of Mental Disorders (DSM-IV), 33, 157, 258-59, 262, 334-35**, 341-50, 365-68, 464-73
Diagnostic and Statistical Manual of Mental Disorders (DSM-V) (proposed), 334**
Diagnostic Interview Schedule (DIS), 52, 59, 202, 204, 240-42, 266, 269, 429, 547-48
Computerized (C-DIS), 9, 11, 241
DIS-III-A, 416
DIS-III-R, 132-33, 416-17
Diazepam detoxification, 31, 35, 142, 144
Dietary Guidelines for Americans, 224**
Digit Symbol Substitution Test, 618, 620
3,4-dihydroxyphenylacetic acid (DOPAC) levels, 60, 591-92, 594-98
Disease models of alcoholism, 334**, 634
codependency
feminist critiques of, 221-22*
questioned, 256, 333*
Dispositional Optimism Scale, 169
DMTU (dimethylthiourea) function, 396
Dopamine (DA)
metabolites of, *see* 3,4-dihydroxyphenylacetic acid (DOPAC) levels; Homovanillic acid (HVA) levels
system effects, 590-98
Dosing subjects, 133
increasing credibility of placebo drinks, 602
Drink and Drive scale, 282
Drinker Inventory of Consequences (DrInC), 9, 11
Drinking (*see also* Abstinence; Alcohol effects; Former drinkers; Motives for alcohol use)
acceptable behaviors
determined by social standards, 495-501
controlled, 224**, 253-56
costs of alcohol-related workplace problems, 37
self-insurance of firms against, 211-19
and driving
effectiveness of sobriety checkpoints, 513-17
drivers likely to be missed, 515-16
high-tolerant individuals, 132
intervention strategies, 191-99
predicting recidivism among first DWI offenders, 524-30, 671-73**
recent successes in California, 518-23, 672**
environmental factors
coffee consumption, 182-90
smoking, 182-90
relation to alcohol dependence, 178
heavy, 67, 71-72

alternating with periods of abstinence, 581-89
covering up, 38
defined, 14, 437
drinks per drinking day (DDD), 8, 12-15, 18, 20, 22-23
percent days abstinent (PDA), 8, 12-16, 18, 20, 22-23
and ethnic differences, 565-72
reliability of open-ended *versus* closed-ended self-reporting questions, 622-24
and taking less preventive approach to health, 474-79
warnings against, 372
and workplace problems, 45
and overall likelihood of injury, 372-81
patterns of (*see also* Ethnic differences; Gender differences; Work-related problems)
binges, 83, 310
drinking at home, 380
episodic *versus* steady-drinking, 84, 319
and individual histories, 138-39
long-term
predictors of, 231-32, 236-37
morning drinking, 310
recent trends, 156, 223-24**, 565-72
regional variations in, 323-31, 472-73
relapses, 257-63
liability for, 341-50
remission, 5†
criteria for, 334**
solitary drinking, 310
before and during work, 38-39
problem, *see* Problem drinking
social
cocktail hour disappearing, 223**
light, 67-68, 71
support for, 8-9, 22, 24-25
at work, 299-302
Drinking-Related Locus of Control (DRIE) scale, 162-66
Drinking to Cope (DTC) scale, 645-46
Driving while alcohol-impaired, *see* Drinking, and driving; DUI/DWI
Drug Abuse Screening Test (DAST), 292-93
DSM-III-R diagnoses, *see* Structured Clinical Interview for DSM-III-R
DUI/DWI (driving under the influence/driving while impaired)
driver's license actions
value of, 671**
informal interventions in, 191-99 (*see also* Drinking, and driving)
lowering of legal BAC, 223**, 522
recidivism among first offenders
predicting with standard measures, 524-30, 671-73**
DWI Citation Tracking file, 525, 528
Dyadic behavior units (DBUs), 85
husband-wife interactions, 546
mother-son interactions, 546-53

Early Experience Questionnaire (EEQ), 59
Education
to delay onset of alcohol use, 288
for initiating discussion of risk factors, 403
for safe and moderate drinking, 224**
of therapists
concerning periods of abstinence among the alcohol-dependent, 588
for greater effectiveness, 558**
Effects of alcohol use, *see* Alcohol effects
Electrical stimulations
staircases of, 292
Electrocardiography, 32
Electroencephalography, 32 (*see also* Polysomnography)
β-band activity, 57
Electromyography
submental, 32
Electrooculography, 32
Emergency room (ER) patients, alcohol use among, 323-31
EM (expectation-maximization) algorithm, 284-85
Employee Assistance Programs (EAPs)
in firms that self-insure, 211-19
Empowering women, 222*
Enzymatic measures of alcohol consumption, 531-38
Epidemiologic Catchment Area (ECA) study, 167-68, 264-65, 274, 464-65, 472
Ethanol Dependence Syndrome scale, 9
Ethanol exposure, 142, 445-46*
acute ethanol (AE) administration, 119, 291
biologically effective dose, 480-81
chronic ethanol (CE) administration, 119-29
estrus-cyclicity effects on neurochemical parameters, 594, 596
mesocorticolimbic dopamine and serotonin systems, effects on, 590-99
microsomal ethanol oxidizing system (MEOS), inducing, 119
paradigms for, 145, 382-83
renal effects of withdrawal, 392-96
voluntary intake, 382-91
concentrations determining aversive reactions, 389-91
Ethnic differences, 40, 75-82, 565-72 (*see also* individual ethnic groups)
in adolescent alcohol use, 281
blacks and Hispanics more likely to persist in alcohol dependency than whites, 472
black women more likely to have dependence-related problems than white women, 568
defining, 332*
Hispanic, Native American and white women marry more problem-drinking spouses than black women, 577-78
lowered drug use among some minorities, 332*
need for more sensitive services treating minority alcohol-related problems, 558**
poor black men more likely to use alcohol than poor white men, 543-45
poor white men as likely to use alcohol as poor Hispanic men, 544
stabilization of drinking among minorities, 155, 159
in treatment barriers, 367, 369-70
whites as likely to become dependent on alcohol as Hispanics, 473
whites more likely to become dependent on alcohol than blacks, 473
whites more likely to use alcohol than blacks or Hispanics, 472
white women heavier drinkers than black women, 78
and workplace problems, 44, 46
Ethyl alcohol (EtOH), *see* Ethanol exposure
European Alcohol Action Plan, 486
Event-related potential (ERP) levels, reduction in, 428-34
influence of different incentive conditions, 606-16
Expectations
and alcohol challenge results, 397-404, 605
current models of
validity in scoring the AEQ, 508-12
influencing a drug's effects, 291, 295

Eysenck Personality Questionnaire (EPQ), 52
EPQ-R, 60
short form, 170-71

Facilitative-enhancing behaviors, 85-86
Fagerstrom Smoking Questionnaire, 344
Family History Assessment Module (FHAM), 582, 607
Family history (FH) effects, 54-57, 59, 64, 131, 170-72, 176, 502
and attenuated P300 amplitudes in event-related potential (ERP), 606-16
children of alcoholics (COAs)
females more likely to report stressors, 424
versus nonalcoholics (CONAs), 55-56
protective factors, 546
testing, 272-79
multigenerational (MFH)
paternal alcoholism, 202, 414-27
versus unigenerational (UFH), 55-56
role of childhood stressors, 414-27
sons of alcoholics (SOAs)
higher levels of undercontrolled behavioral traits, 615
mothers less supportive of disruptive sons of male alcoholics (SOMAs), 546-53
versus nonalcoholics (SONAs), 54-57, 398-404
risk for alcoholism among SOAs, 141-45
Family History-Research Diagnostic Criteria (FH-RDC), 170, 202, 206, 274-75, 415-16
Family organization
predictor of outcomes, 277-78
Feighner Criteria, 429
Female alcohol-related problems (*see also* Marital interactions)
black women more likely to have dependence-related problems than white women, 568
Hispanic, Native American and white women marry more problem-drinking spouses than black women, 577-78
history of female drug use in America, 669*
labeled codependency, 221-22*
linked with childhood sexual abuse (CSA), 264-71
need for female-sensitive services, 370, 558**, 669-70*
passed on to their children, 669*
predictors of problem drinking and alcohol dependence, 167-81
sexual dysfunction, 266
white women heavier drinkers than black women, 78
Feminist perspectives
in critiquing classic theology, 669*
in therapy, 222*
Field sobriety tests (FSTs) administered, 134
Finland
coronary heart disease (CHD), alcohol effects on, 455-63
First Nations, *see* Native Americans
Flushing response, *see* Native Americans
Food and Drug Administration (FDA), 454‡
Form 90, 11-12
90-AF (follow-up form), 358
90-AI (intake form), 358-59, 363
polydrug version, 363-64
90-Q (quick form), 11-12
90-T (telephone form), 12
reliability of, 358-64
Former drinkers
more likely to take preventive approach to health, 474-79
Free radical scavengers, 396
F-SMAST, *see* Michigan Alcoholism Screening Test (MAST)

Gamma glutamyl transferase (GGT) levels, 31, 259, 373
Gamma glutamyl transpeptidase (GGTP), 242 (*see also* Monitoring, liver enzymes)
Gender differences, 8-9, 22, 24, 152 (*see also* Female alcohol-related problems; Male alcohol-related problems)
in adolescent alcohol use, 280-90
between blacks and whites, 75-82
white women heavier drinkers than black women, 78
in college students' alcohol use, 439-42
in effect of being married, 236
in likelihood of being injured, 380
men more likely to become dependent on alcohol than women, 472
men more likely to use alcohol than women, 472
power differential between men and women among Native Americans, 320
and sleep respiratory disorders, 34
in treatment barriers, 366, 368, 370
in workplace drinking, 297-302
in workplace problems, 44
General Household Survey (U.K.), 435
Genetic studies, *see* Family history (FH) effects
γ-glutamyl transpeptidase (GGT) levels, 121, 126
Glutamate receptors, 445*
GOT, *see* Serum glutamic-oxaloacetic transferase (SGOT)
Guilt, *see* Control, informal

Halstead Category Test
shortened Australian version, 620
Halstead-Reitan Neuropsychological Battery, 608, 618, 620
Hamilton Anxiety Scale, 31, 33
Hamilton Depression Scale, 31, 33
Harm avoidance (HA) traits, 48-64
Health and Daily Living Questionnaire, 481
Health Attitudes and Practices inventory, 137
Health Canada, 313
Health effects of alcohol use, 395 (*see also* Injury, likelihood of; individual disease conditions)
beneficial, 453-54‡, 455-63
on blood pressure (BP), 480-85
longer term cumulative effect, 484
cardiovascular disease (CVD), 453‡
morbidity and mortality from, 30
coronary heart disease (CHD), 455-63
protection through modest alcohol intake, 453-54‡
heavier drinkers taking less preventive approach to health, 474-79
lagged results in, 486, 493
potential years of life lost (PYLL) calculations, 453‡
progression of
more rapid among women, 167
risk for future medical problems
physiological alcohol dependence a specifier of, 341-50
Health Interview Survey, 187
Health maintenance organizations (HMOs)
reduction-in-cost studies not generalizable to other treatment settings, 625-26, 633
restrictions on treatment durations, 250
Heavy drinking, *see* Drinking
Heavy Drinking scale, 282
Helping behaviors, *see* Interventions
Hepatic fibrosis, 119
Heritability, *see* Family history (FH) effects
5-HIAA levels, *see* 5-hydroxyindoleacetic acid (5-HIAA) levels

Hispanics, alcohol use among, 565-72
as likely to become dependent on alcohol as whites, 473
less likely to use alcohol than whites, 472
more likely to persist in alcohol dependency than whites, 472
poor men as likely to use alcohol as poor white men, 544
prevalence of alcohol-related problems greater among Hispanic men than among white men, 567
social factors affecting Hispanic men
neighborhood poverty, 539-45
trend toward increased heavy drinking, 155, 159, 571
women more likely to marry problem-drinking spouses than black women, 577-78
Hollingshead's Four Factor Index of Social Status, 430
Homeless, alcohol use among, 330
Homicide, alcohol-related, 107*
Homosexual alcohol-related problems
formulating questions about, 316
need for more sensitive services treating, 558**
Homovanillic acid (HVA) levels, 57, 60, 591-92, 594-98
Horizontal gaze nystagmus (HGN) tests, 134
Hospital studies, *see* Department of Veterans Affairs (VA) facilities; Emergency room (ER) patients, alcohol use among
Human Immunodeficiency Virus (HIV) transmission, 312-15, 319
seroprevalence studies of, 314
5-hydroxyindoleacetic acid (5-HIAA) levels, 60, 591-98
Hypermetabolic state, 119
Hypnotic benzodiazepines, *see* Diazepam detoxification
Hypoxia, 119-29
centrolobular, 119, 127

Iconic memory, retrieval from, 428-34
Important People and Activities Instrument, 9
Indian Health Service (IHS), 313
Indians, *see* Native Americans
Individual differences
in alcohol responsivity, 130-45, 179
experimental dosing, 133
measurement reliability, 137-39
in etiology of problem-drinking
among adolescents, 652-54
Inglefinger rule, 117†
Inherited factors, *see* Family history (FH) effects
Initiation to alcohol use, *see* Alcohol involvement
Injury, likelihood of
and general drinking patterns, 372-81
in emergency room patients, 323-31
Institute for the Study of Drug Dependence, 435
Institute of Medicine, 7
International Classification of Diseases Code (ICD-9), 475, 486
ICD-9-CM, 313, 341, 627-28
ICD-10, 341
International Collaborative Study of Alcoholics Anonymous (ICSAA), 554*
International studies, 5†, 486-94, 519, 555*
publishing in different languages, 229†
Internet, implications of, 117†
Interpersonal Dependency Scale, 169
Interpersonal Reactivity Index, 169
Interventions (*see also* Treatment programs)
active *versus* passive, 191-99
models for, 145, 193
moral obligation to help, 192-94
short-term, 231-38
targeting elementary and middle school children, 288
Iowa Dental Control Index, 292-93

Japanese
lighter drinking among, 131
Journal of Studies on Alcohol (JSA)
guidelines for authors, 117-18†, 229-30†

Karolinska Scales of Personality, 60
Kettil Bruun Society for Social and Epidemiological Research on Alcohol, 554*
Kupffer cells, 119

Labor econometrics, 212
Latent growth analysis, 13-14
Legal issues
minimum age of purchase, 107*
Lidocaine
effectiveness for alcohol abusers, 291
Life events (LE), reporting of, 411, 415
Life Stressors and Social Resources Inventory, 233
Lifetime Drinking History (LDH), 304-5, 307, 309, 407
Limb movements, periodic (PLMs)
during sleep, 32, 35
Liver
bioenergetics of, 119-29
cirrhosis of, alcoholic, 392, 453‡
recent reductions in, 486-94
Locus of control concept, 162-66, 257
Longitudinal studies, 233
capturing dynamic processes, 237
of early substance use, 641-42
of ethnic minority data, 155-56
of students' academic problems, 200
Long-term drinking, *see* Drinking
Lovelace Comprehensive Screening Program (LCSP), 524-25, 528-29

MacAndrew Alcoholism Scale (MAC), 51, 56, 106*, 524-30
Magnetic resonance spectroscopy (MRS)
in vivo ^{31}P MR spectra, 119-29
Male alcohol-related problems (*see also* Marital interactions)
poor black men more likely to use alcohol than poor white men, 543-45
poor white men as likely to use alcohol as poor Hispanic men, 544
prevalence of alcohol-related problems greater among Hispanic men than among white men, 567
sexual dysfunction, 91-99
Managed care
restrictions on treatment durations, 250
Marital Adjustment Test (MAT), 85-86, 92-93
Marital Interaction Coding System (MICS-IV), 85, 88
Marital interactions
aggression, 83-90
spousal abuse, 88
divorce, history of, 178
mate similarity
wife's drinking increases likelihood of marrying a problem-drinking husband, 573-80
positive events
with increased drinking, 308
sexual dissatisfaction, 94
ejaculation frequency, 97-98
impotence, 91, 97-98
intercourse frequency, 96, 98
spousal collaterals
better agreement with abusers' self-reports, 412

those married more likely to use alcohol than those never married, 472
Meaning seeking attribute, 8-9, 24
Media approaches, 454‡
Medicalizing alcoholism, *see* Disease models of alcoholism
Memory, *see* Iconic memory, retrieval from
Men (*see also* Gender differences; Male alcohol-related problems)
sense of well-being at work
affected by family situation, 298
Mepivicaine
effectiveness for alcohol abusers, 292-94
Mesocorticolimbic dopamine and serotonin systems, 590-99
3-methoxy-4-hydroxyphenylglycol (MHPG) levels, 60
Michigan Alcoholism Screening Test (MAST), 51, 85-86, 92-93, 106*, 304, 406, 524-30, 607
short form (SMAST), 415, 547
father's history adaptation of (F-SMAST), 202, 415-16
mother's history adaptation of (M-SMAST), 415-16
Midazolam
effectiveness for alcohol abusers, 291
Millon Clinical Multiaxial Inventory, 106*
Minnesota Multiphasic Personality Inventory (MMPI), 9, 56, 58-59, 106*, 257
MMPI-1, 525
MMPI-2, 608-9
MacAndrews (MAC) scale of, 524-30
Minorities, *see* Ethnic differences
Mitochondrial damage, 128, 395-96
Modified Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES), 352
Molecular biology, contributions of, 445*
Monitoring
liver enzymes, 12, 394
microcomputer-controlled data acquisition, 382-91
noninvasive, 120
posttreatment, 12
Monoamine oxidase (MAO) activity, 57-60
Monoamine system effects, central, 590
Moral sense
moral obligation to help another, 192-94
moral reservations about driving impaired, 521-22
Mothers Against Drunk Driving (MADD), 223**
Motivation, 590
cognitive-motivational theory, 100-101, 606-16
readiness to change, 8-9, 20-22, 24-25
shaped by interactions with helpers, 237
Motives for alcohol use (*see also* Individual differences)
attitude-behavior theories, 502-7
perceived behavior control (PBC), 503, 505-6
theory of planned behavior (TPB), 503, 505
theory of reasoned action (TRA), 502-6
to become drunk, 314
rationalizations for, 557**
compensation, 67-74
coping
avoidant, 311, 650
instrumental, 654
escape, 101
experience seeking, 57
monotony avoidance, 60
relief drinking, 325, 341
self-medication, 304, 454‡
sensation-seeking, 51
social learning theory, 13
with adolescents, 644-52
tension reduction, 100, 600
thrill and adventure seeking, 57
Multidimensional Personality Questionnaire (MPQ), 50

Narcotics Anonymous (NA), 585, 587
assessing involvement with, 241
NAS-NRC Twin Registry, 183, 189
1992 National Alcohol Follow-up Survey, 540
1984 National Alcohol Survey (NAS), 539-41
1992 National Alcohol Survey (NAS), 539-40
National Comorbidity Survey (NCS), 167-68, 464-65, 471-73
National Council on Alcoholism criteria, 59, 341
National Death Index, 633
National Drug and Alcohol Treatment Survey (NDATUS), 155-56, 159
National Health and Social Life Survey (NHSLS), 622
National Heart, Lung, and Blood Institute Twin Study, 188
National Highway Traffic Safety Administration (NHTSA), 133-34, 514, 673**
1992 National Household Survey on Drug Abuse (NHSDA), 471
National Institute on Alcohol Abuse and Alcoholism (NIAAA), 5-6†, 7, 75, 365, 464-65, 557**, 574, 673**
National Institute on Drug Abuse (NIDA), 464, 471, 574
National Institute on Mental Health (NIMH), 464
National Institutes of Health (NIH), 5-6†
1992 National Longitudinal Alcohol Epidemiologic Survey (NLAES), 365-67, 464-73
National Longitudinal Survey of Youth Ages 17-27, 38
National Longitudinal Survey of Youth (NLSY), 573-80
National Opinion Research Center (NORC) interviewers, 265
1985 National Survey of Worksite Health Promotion Activities, 218
1992 National Survey of Worksite Health Promotion Activities, 211, 213
Native Americans, alcohol use among
blood alcohol concentrations (BACs) in DUI/DWI arrests higher than Hispanics and non-Hispanic whites, 525-26
flushing response, 131
individual peoples
Aleuts, 313
Canadian aborigines, 312-22
Cree, 312, 315-16
Navajo, 315
Ojibwa, 315-16
prevalence of episodic drinking, 319
resentment towards white man's "firewater," 313
stereotypes concerning, 312, 320
women marry more problem-drinking spouses than black women, 577-78
Network support for drinking, *see* Drinking, social
Neuropharmacological factors, 445*
Neuropsychological assessments
early in treatment
stability of, 617-21
Neurotensin (NT) effects, 594
Nicotinamide adenine dinucleotide (NAD), 121, 533
Nocturnal myoclonia, 32
Nondrinkers, *see* Abstinence
Noninvasive measures of alcohol consumption, 531-38
Norepinephrine (NE) levels, 60, 395-96
Nosologies, future, 341, 349
Novelty-seeking (NS) traits, 48-64, 261

Obsessionality
associated with persistence traits, 262
Office of Disease Prevention and Health Promotion, 213, 216

Office of Substance Abuse Prevention, 224**
Onset, age of, *see* Alcohol involvement
Ontario Health Survey (OHS), 474-75
Outcomes
  measures of, *see* Drinking, heavy
  predictors of (*see also* Form 90)
    long-term, 232, 237-38
    personality disorders (PD) as, 257-63
Oxymetry, 32

Paced Auditory Serial Addition Test, 620
Pain control
  in recovering alcoholics, 291-96
    detection thresholds, 294
    pain thresholds, 294
Paragraph Completion Method, 9
Parental Bonding Instrument (PBI), 62
Pathologizing alcoholism, *see* Disease models of alcoholism
Patterns of drinking, *see* Drinking
Pearson Product and Intraclass Correlations, 617
Perchloric acid (PCA) extracts, analyzing, 120-21, 124-27
Persistence traits, low
  associated with relapse, 257-63
Personal Drinking History Questionnaire (PDHQ), 602
pH, monitoring intracellular, 120, 124
Pharmacokinetic effects, 291-92, 294 (*see also* Neuropharmacological factors; Psychopharmacotherapies, new)
Phosphate, inorganic (Pi), monitoring, 120-26, 128
Phosphatidylinositol 4,5-bisphosphate hydrolysis, 60, 395
Phosphodiesters (PDEs), monitoring, 120-23
Phosphomonoesters (PMEs), monitoring, 120-23, 125-28
Physiological effects, *see* Alcohol effects
Placement criteria, *see* American Society of Addiction Medicine (ASAM)
Plasma HVA, *see* Homovanillic acid (HVA) levels
Platelet MAO, *see* Monoamine oxidase (MAO) activity
PLMs, *see* Limb movements, periodic (PLMs)
Polygene postulate, 183
Polysomnography, 32
Polyunsaturated fatty acids
  decreased biosynthesis of, 395
Posttraumatic stress disorder (PTSD), 269
Prevention efforts, *see* Control, informal; Interventions
Problem drinking (PD) (*see also* Marital interactions; Work-related problems)
  measuring, 146-54
  predicting, 167-81
  seeking help for, 155-61 (*see also* Treatment programs)
Problem solving behaviors, 85
Produktschap Voor Gedistillerde Dranken, 492
Project MATCH, 5-6†, 7-14, 22-25, 358-64, 557-58**
Prolactin levels, 142
Prostaglandin (PGI_2) production decreased, 395
Psychiatric Diagnostic Interview, 607
Psychiatric severity factor, 8-9, 18-20, 22-25 (*see also* Antisocial personality disorder [ASPD])
Psychobiological model, 258
Psychodynamic formulations, 220*
Psychological Maladjustment Scale, 257
Psychomotor performance, 495-501
Psychopathology
  and alcohol use, 170, 176 (*see also* Psychiatric severity factor)
  of children at risk for alcoholism, 428-34
Psychopharmacotherapies, new, 262
Psychosocial dimensions of placement, 239-52
  predictive validity issue, 249
Psychotherapeutic approaches to addictions, 555-56*
P300 component amplitude, attenuated, *see* Event-related potential (ERP) levels, reduction in
Public policy issues, 107*, 453-54‡
Purpose in life scale, 9

Q.E.D.®-A150, 532-37
  specificity for ethanol, 532
Quantitative-Frequency-Variability Index (QFV), 101-2, 305
Quantity-frequency (Q-F) measures, *see* Typologies
Queensland Alcohol and Drug Study Questionnaire, 436

Rathus Assertiveness Scale, 257
Rational Recovery, 333*, 558**
Rats, studies with, *see* Ethanol exposure
Reasons for Drinking Questionnaire (RFDQ), 102, 104
Relapse liability, *see* Drinking, patterns of
Relapses, *see* Drinking, patterns of
Religious involvement factor, 171, 176-77, 223**, 232
  impact of Protestant Reformation, 223**
Remission, *see* Drinking, patterns of
REM sleep, 30, 35
Renal damage, 392-96
Research Diagnostic Criteria, 233
Retarded Knob Rotation Test, 618
Reward dependence (RD) traits, 48-64
Rey Auditory Verbal Learning Test, 620
Rey-Osterrieth Complex Figure Test, 608-10
Risk factors
  circadian rhythms, 45
  inherited, *see* Family history (FH) effects
  intrapsychic factors, 663
  multiple-factor indices of, 654-55
  psychosocial, 280-90
    lack of pretreatment readiness to change, 351-57
  and reduced visual event-related potential (ERP) levels
    in children, 428-34
    in FHP men, 606-16
  workplace, 297-302
Risk-taking behaviors (*see also* Drinking, and driving)
  hazards analysis, proportional, 16
  reduced by reinforcing sober behavioral standard, 501
    socialization of preventive habits, 518-23
  unsafe sex while inebriated, 312-22
    formulating questions about, 316
Rotter's Internal-External Locus of Control Scale, 162, 257
Rutgers Alcohol Problem Index (RAPI), 102-4
Rutgers Health and Human Development Project, 67, 73, 639

Saliva alcohol concentration (SAC), 531-38
  reliability of measurements, 536-37
Save OurSelves, 558**
Schedule for Affective Disorders and Schizophrenia for School-Aged Children (K-SADS), 430
School-related problems, 200-210
Scotland
  patterns of alcohol use, 442
    among college students, 435-44
Secular Organizations for Sobriety, 558**
Seeking of Noetic Goals test, 9
Self-Analysis Questionnaire, 257
Self-awareness
  a protective factor, 273
Self-Awareness and Consciousness Scale, 275
Self-Esteem Scale, 169
Self-Help Beliefs and Behaviors instrument, 241

Self-insurance, employer, 211-19
Self-Rating of the Effects of alcohol form (SRE), 397-404
Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA), 582
Sensation-Seeking Scale (SSS), 608, 610, 612-13
Serotonin (5HT)
  metabolites of, *see* 5-hydroxyindoleacetic acid (5-HIAA) levels
  system effects of, 60, 590-94, 598
Serotonin-stimulated phosphoinositide hydrolysis, 60
Serum glutamic-oxaloacetic transferase (SGOT), 242 (*see also* Monitoring, liver enzymes)
1984 Seventh Survey on Alcohol Use, 464
The Sex and Age Distribution of World Population, 486
Sexual Adjustment Questionnaire (SAQ), 92-93
Shipley Institute of Living Scale (SILS), 9, 69-71
  Vocabulary and Verbal Abstraction Tests from, 618
Short Marital Adjustment Test, 85
Short Michigan Alcoholism Screening Test (SMAST), *see* Michigan Alcoholism Screening Test (MAST)
60 Minutes (television program), 224**
Skinner's Trauma Scale (STS), 524-30
S.M.A.R.T., 558**
Smoking, *see* Drinking, environmental factors
Social Behavior Questionnaire (SBQ), 547
Social Desirability Scale (SDS), 292
Social drinking, *see* Drinking
Socialization (SO) scale, 51
Social Research Institute of Alcohol Studies, 456
Social resources, *see* Community resources
Socioeconomic status (SES)
  Hispanics and blacks continuing at greater risk than whites, 565-72
  homeless, alcohol use among, 330
  poor black men more likely to use alcohol than poor white men, 543-45
  poor white men as likely to use alcohol as poor Hispanic men, 544
Sociopathy factor, 8-9, 22 (*see also* Antisocial personality disorder [ASPD])
SOCRATES, *see* Modified Stages of Change Readiness and Treatment Eagerness Scale
SOD (super oxide dismutase) function, 396
Span of Apprehension (SOA), 428-29, 431-32
Spiritual models of alcoholism, *see* Therapy models, Twelve-Step Facilitation (TSF); individual 12-step programs
State Trait Anxiety Inventory (STAI), 292
Steadiness, postural, *see* Body sway
Strong-Campbell Inventory, 257
Stroop Test, 618
Structured Clinical Interview for DSM-III-R (SCID), 10, 31, 169, 532, 618
  SCID-P, 259-60
  SCID-PQ, 258-61
Students, *see* College students' alcohol-related problems
Students Against Drunk Driving (SADD), 223**
Study parameters
  cause-effect ambiguities, 178, 201, 257
  ethical principles, 132, 230†
  methodological problems, 75
    commensurability among measures, 131
    "first night effects," discarding, 32
    the "Grand Rapids Dip," 672-73**
    washout period, 31, 35
  missing data, 171, 174-75
    new procedures for handling, 284
  publishing considerations
    copyright agreements, 117†, 229†
    double publication, 229†
    practical value test, 6†
    timely publication, 117-18†
  reliability problems, 5†, 131-32
    cultural inappropriateness of questions, 319
    lack of empirical measures of ethnicity, 332*
    mistrust of researchers, 332*
    seasonal variability, 330
    using inconsistent terminology, 334-35**
    using indirect questioning, 528
    using open-ended *versus* closed-ended questions, 622-24
    using retrospective questioning, 309
    with verbal report measures, 12, 189, 245, 371
      agreement with collaterals' reports, 405-13
  top priorities for future research, 557-58**
  using on-site testing, 537
  validity problems, 25
    "slippage," 5†
    study elements exerting beneficial impact on outcomes, 558**
Subjective Effects of Alcohol Scale (SEAS), 134-35
Subjective High Assessment Scale (SHAS), 142-45, 398-403
Substance Abuse and Mental Health Administration, 464
Substance Abuse Subtle Screening Inventory (SASSI), 106*
Support for drinking, *see* Drinking, social
1989 Survey of Health Insurance Plans, 218
Swedish Twin Registry, *see* Twin Registry of the Karolinska Institute
Symptom Checklist 90 (SCL-90), 241-42
Symptoms, *see* Alcohol effects

Therapists, *see* Clinicians
Therapy models (*see also* Controlled drinking; Disease models of alcoholism; Nosologies, future)
  Cognitive Behavioral Coping Skills Therapy (CBT), 8, 12-14, 16-24
  current bio-psycho-social approaches, 332-33*
  Motivational Enhancement Therapy (MET), 8, 12-13, 16-18, 20-21, 23-24
  pretreatment readiness for change
    a predictor of follow-up status, 351-57
  psychological, 555-56*
  theory-driven emphasis of modern studies, 558*
  Twelve-Step Facilitation (TSF), 8, 12-14, 16-20, 22-24, 220, 333*, 554*, 668*
Thromboxane (TXA_2) levels, 395
Thyrotropin-releasing factor, 445*
Tobacco dependence, *see* Drinking, environmental factors
Tolerance to alcohol, 346
  individual differences in, 130-40, 295
  role of verbal feedback (FB) in, 495-501
Trail Making Tests A and B, 69-71, 106*, 608-9, 618
Treatment approaches
  acupuncture, 333*
  Naltrexone, 333*
  persistence of ineffective, 558**
Treatment barriers, 365-71, 557**
  age differences in, 368-70
  denial, 369
  ethnic differences in, 367, 369-70
  gender differences in, 366, 368, 370
  stigmatization, 369-70
Treatment effects (*see also* Outcomes)
  greater subsequent utilization of medical services, 625-37

Treatment goals
safe and moderate drinking, 224**, 333*, 454‡
Treatment programs (*see also* Therapy models)
for alcohol-related workplace problems
self-insurance of firms, 211-19
cost-effectiveness of, 24, 558**, 625-37
future of funding for, 557**
need for quick-paced treatment decisions, 621
promoting, 250-51
deterioration during, 13
effect of follow-up rates, 24
examples of successful programs, 332*
improvements in
better disseminating effective treatments, 558**
contributing to declining cirrhosis death rates, 492
using neuropsychological assessments early in treatment, 617-21
increased demand for, 155
inpatient *versus* outpatient, 237, 239-52, 557**
long-term *versus* short-term, 231-38, 557-58**
matching patients to, 5-6†, 7-29
highlighting treatment differences, 25
using objective, validated guidelines, 239-52
using pretreatment readiness for change scores, 351-57
methadone maintenance programs
on-site BAC testing within, 537
social support during, 232
Tridimensional Personality Questionnaire (TPQ), 48-66, 259-61
Twin-based studies, 167-90, 453‡
Twin Registry of the Karolinska Institute, 183
Typologies, 8-9, 18, 22
quantity-frequency (Q-F), 325-26, 329-30, 353-54
Type A *versus* Type B alcoholics, 24, 58, 61, 258
Type 1 *versus* Type 2 alcoholics, 49, 51, 54, 57-59, 61-64

Uniform Requirements for Manuscripts Submitted to Biomedical Journals, 229†
URICA, 9

VA medical centers (VAMCs), *see* Department of Veterans Affairs (VA) facilities
Verbal feedback (FB), 495-501
Veterans Affairs, *see* Department of Veterans Affairs (VA) facilities
Vigilance performance, 428-34
Virginia Twin Registry, 171, 178

Wechsler Adult Intelligence Scale-Revised (WAIS-R), 69, 71, 204-5
Neuropsychological Revision, 618, 620
Wender Behavior Checklist (WBC), 608-10, 612
Women (*see also* Female alcohol-related problems)
role as mothers
less nurturing towards disruptive sons of male alcoholics (SOMAs), 546-53
role in the workplace, 297-302
Women for Sobriety, 333*
Work-related problems, 37-47
drinking on the job
on-site testing of, 537
written policies regarding, 298
employee assistance programs (EAPs) for
profitability of, 211-19
of heavy drinkers, 38
layoffs, fear of, 45
problems with supervisors, 44-45
sleeping on the job, 44-46
World Drink Trends, 486
World Health Organization (WHO), 486, 491
World Health Statistics Annual, 486

Young adults, *see* Adolescents' alcohol-related problems; College students' alcohol-related problems